



-  Operacijski sistem
Windows 8.1 Enterprise 32-bit
-  CPU
Intel Pentium D 820
Tehnologija SmithField 90nm
-  RAM
1,00GB Dvojno-kanal DDR2 @ 266 MHz (4-4-4-12)
-  Matična plošča
Foxconn 945 7MA Series (Socket 478) 44 °C 
-  Grafika
172S (1280x1024@60Hz)
Intel 82945G Express Chipset Family (Foxconn)
-  Trdi diski
76GB Hitachi HDS721680PLA380 ATA Device (SATA)
-  Optični pogoni
PHILIPS SPD2410L1 ATA Device
-  Zvok
Realtek High Definition Audio



-  **Operacijski sistem**
Windows XP Professional 32-bit SP3
-  **CPU**
Intel Pentium 4 540
Tehnologija Prescott 90nm
-  **RAM**
1,00GB Dvojno-kanal DDR @ 199 MHz (3-3-3-8)
-  **Matična plošča**
IBM IBM (LGA775/PSC/TJS)
-  **Grafika**
SyncMaster (1024x768@60Hz)
SyncMaster (1024x768@60Hz)
Intel 82915G/GV/910GL Express Chipset Family (IBM)
-  **Trdi diski**
74GB Western Digital WDC WD800JD-23JNC0 (SATA) 40 °C
-  **Optični pogoni**
SAMSUNG DVD-ROM SD-616E
Generic DVD-ROM SCSI CdRom Device
-  **Zvok**
SoundMAX Integrated Digital Audio

Preveri posodo



-  **Operacijski sistem**
Windows XP Professional 32-bit SP3
-  **CPU**
Intel Celeron
Tehnologija Willamette 0.18um
-  **RAM**
384MB DDR (2.5-3-3-6)
-  **Matična plošča**
SiS-650GX (Socket 478) 29 °C 
-  **Grafika**
Default Monitor (1024x768@60Hz)
32 MBATI RAGE 128 PRO Ultra GL AGP (Microsoft Corporation)
-  **Trdi diski**
38GB Maxtor 2F04030 (ATA) 30 °C 
-  **Optični pogoni**
SAMSUNG DVD-ROM SD-616T
Generic DVD-ROM SCSI CdRom Device
-  **Zvok**
C-Media AC97 Audio Device